



System	Linux linux-nohm 2.6.18.2-34-default #1 SMP Mon Nov 27 11:46:27 UTC 2006 i686
Build Date	Nov 27 2006 22:12:59
Configure Command	'./configure' '--prefix=/usr' '--datadir=/usr/share/php5' '--mandir=/usr/share/man' '--bindir=/usr/bin' '--with-libdir=lib' '--includedir=/usr/include' '--sysconfdir=/etc/php5/apache2' '--with-config-file-path=/etc/php5/apache2' '--with-config-file-scan-dir=/etc/php5/conf.d' '--with-exec-dir=/usr/lib/php5/bin' '--enable-libxml' '--enable-filter' '--enable-session' '--with-mm' '--with-pcre-regex=/usr' '--enable-xml' '--enable-simplexml' '--enable-spl' '--disable-debug' '--enable-memory-limit' '--enable-inline-optimization' '--enable-zend-multibyte' '--disable-rpath' '--with-apxs2=/usr/sbin/apxs2' '--disable-all' '--disable-cli'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/apache2/php.ini
Scan this dir for additional .ini files	/etc/php5/conf.d
additional .ini files parsed	/etc/php5/conf.d/bcmath.ini, /etc/php5/conf.d/bz2.ini, /etc/php5/conf.d/calendar.ini, /etc/php5/conf.d/ctype.ini, /etc/php5/conf.d/curl.ini, /etc/php5/conf.d/database.ini, /etc/php5/conf.d/dom.ini, /etc/php5/conf.d/exif.ini, /etc/php5/conf.d/ftp.ini, /etc/php5/conf.d/gd.ini, /etc/php5/conf.d/gettext.ini, /etc/php5/conf.d/gmp.ini, /etc/php5/conf.d/iconv.ini, /etc/php5/conf.d/imap.ini, /etc/php5/conf.d/json.ini, /etc/php5/conf.d/ldap.ini, /etc/php5/conf.d/mbstring.ini, /etc/php5/conf.d/mcrypt.ini, /etc/php5/conf.d/mhash.ini, /etc/php5/conf.d/mysql.ini, /etc/php5/conf.d/mysqli.ini, /etc/php5/conf.d/ncurses.ini, /etc/php5/conf.d/odbc.ini, /etc/php5/conf.d/openssl.ini, /etc/php5/conf.d/pcntl.ini, /etc/php5/conf.d/pdo.ini, /etc/php5/conf.d/pdo_mysql.ini, /etc/php5/conf.d/pdo_odbc.ini, /etc/php5/conf.d/pdo_pgsql.ini, /etc/php5/conf.d/pgsql.ini, /etc/php5/conf.d/posix.ini, /etc/php5/conf.d/pspell.ini, /etc/php5/conf.d/shmop.ini, /etc/php5/conf.d/snmp.ini, /etc/php5/conf.d/soap.ini, /etc/php5/conf.d/sockets.ini, /etc/php5/conf.d/symsg.ini, /etc/php5/conf.d/sysvsem.ini, /etc/php5/conf.d/sysvshm.ini, /etc/php5/conf.d/tokenizer.ini, /etc/php5/conf.d/wddx.ini, /etc/php5/conf.d/xmlrpc.ini, /etc/php5/conf.d/xsl.ini, /etc/php5/conf.d/zip.ini, /etc/php5/conf.d/zlib.ini
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	php, file, data, http, ftp, compress.bzip2, https, ftps, zip, compress.zlib
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, bzip2.*, convert.iconv.*, zlib.*

This server is protected with the Suhosin Patch 0.9.6.1
Copyright (c) 2006 [Hardened-PHP Project](#)



This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.2.0, Copyright (c) 1998-2006 Zend Technologies



PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
detect_unicode	On	On
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6143	6143
expose_php	On	On
extension_dir	/usr/lib/php5/extensions	/usr/lib/php5/extensions
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off

include_path	::usr/share/php5:/usr/share/php5/PEAR	::usr/share/php5:/usr/share/php5/PEAR
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_input_time	60	60
memory_limit	16M	16M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	<i>no value</i>	<i>no value</i>
suhosin.log.script	<i>no value</i>	<i>no value</i>
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.syslog	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.facility	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.priority	<i>no value</i>	<i>no value</i>
suhosin.log.use-x-forwarded-for	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off

y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.2.3 (Linux/SUSE)
Apache API Version	20051115
Server Administrator	root@linux-nohm
Hostname:Port	linux-nohm:0
User/Group	wwwrun(30)/8
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	No
Server Root	/srv/www
Loaded Modules	core prefork http_core mod_so mod_authz_host mod_actions mod_alias mod_auth_basic mod_authz_groupfile mod_authn_file mod_authz_user mod_autoindex mod_cgi mod_dir mod_include mod_log_config mod_mime mod_negotiation mod_setenvif mod_status mod_userdir mod_asis mod_imagemap mod_php5 mod_perl mod_authz_default

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	127.0.0.1
HTTP_USER_AGENT	Mozilla/5.0 (X11; U; Linux i686; fr; rv:1.8.1) Gecko/20061023 SUSE/2.0-30 Firefox/2.0
HTTP_ACCEPT	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_LANGUAGE	fr,fr-fr;q=0.8,en-us;q=0.5,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip,deflate
HTTP_ACCEPT_CHARSET	ISO-8859-1,utf-8;q=0.7,*;q=0.7
HTTP_KEEP_ALIVE	300
HTTP_CONNECTION	keep-alive
PATH	/bin:/sbin:/usr/bin:/usr/sbin
SERVER_SIGNATURE	<address>Apache/2.2.3 (Linux/SUSE) Server at 127.0.0.1 Port 80</address>
SERVER_SOFTWARE	Apache/2.2.3 (Linux/SUSE)
SERVER_NAME	127.0.0.1
SERVER_ADDR	127.0.0.1
SERVER_PORT	80
REMOTE_ADDR	127.0.0.1
DOCUMENT_ROOT	/srv/www/htdocs
SERVER_ADMIN	root@linux-nohm
SCRIPT_FILENAME	/srv/www/htdocs/couik/info.php
REMOTE_PORT	2518
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value

REQUEST_URI	/couik/info.php
SCRIPT_NAME	/couik/info.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /couik/info.php HTTP/1.1
Host	127.0.0.1
User-Agent	Mozilla/5.0 (X11; U; Linux i686; fr; rv:1.8.1) Gecko/20061023 SUSE/2.0-30 Firefox/2.0
Accept	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language	fr,fr-fr;q=0.8,en-us;q=0.5,en;q=0.3
Accept-Encoding	gzip,deflate
Accept-Charset	ISO-8859-1,utf-8;q=0.7,*;q=0.7
Keep-Alive	300
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.2.0
Keep-Alive	timeout=15, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
-----------------------	---------

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.3, 15-Feb-2005

calendar

Calendar support	enabled
-------------------------	---------

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	libcurl/7.15.5 OpenSSL/0.9.8d zlib/1.2.3 libidn/0.6.8

date

date/time support	enabled
Timezone Database Version	2006.14
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.26
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.173.2.5.2.4 2006/10/10 22:22:43 tony2001 Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.25 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.28 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype

FreeType Version	2.2.2
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled
JIS-mapped Japanese Font Support	enabled

gettext

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
-------------	---------

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.5

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2004
SSL Support	enabled

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c,v 1.161.2.3.2.1 2006/06/15 18:33:07 dmitry Exp \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20327
SASL Support	Enabled

libxml

libXML support	active
libXML Version	2.6.26
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	ISO-8859-1	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.script_encoding	<i>no value</i>	<i>no value</i>
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.7
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	20060101

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.26
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	Off	Off
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.0.26
Client API header version	5.0.26
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

ncurses

ncurses support	enabled
ncurses library version	5.5
color support	yes

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0

ODBC library	unixODBC
ODBC_INCLUDE	-I/usr/include
ODBC_LFLAGS	-L/usr/lib
ODBC_LIBS	-lodbc

Directive	Local Value	Master Value
odbc.allow_persistent	Off	Off
odbc.check_persistent	On	On
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	no value	no value
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8d 28 Sep 2006

pcntl

pcntl support	enabled
---------------	---------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	6.7 04-Jul-2006

PDO

PDO support	enabled
PDO drivers	mysql, odbc, pgsql

pdo_mysql

PDO Driver for MySQL, client library version	5.0.26
--	--------

PDO_ODBC

PDO Driver for ODBC (unixODBC)	enabled
ODBC Connection Pooling	Enabled, strict matching

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	8.1.5

Module version	1.0.2
Revision	\$Id: pdo_pgsql.c,v 1.7.2.11 2006/03/14 10:49:18 edink Exp \$

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.1.5
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	Off	Off
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

posix

Revision	\$Revision: 1.70.2.3.2.6 \$
----------	-----------------------------

pspell

PSpell Support	enabled
----------------	---------

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.31 2006/10/18 16:35:15 johannes Exp \$

session

Session Support	enabled
Registered save handlers	files user mm
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	On	On
session.cookie_lifetime	0	0
session.cookie_path	/	/

session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	1	1
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.15 \$
Schema support	enabled

snmp

NET-SNMP Support	enabled
NET-SNMP Version	5.4.rc2

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 1.20.2.3.2.1 \$

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active

libxml2 Version	2.6.26
-----------------	--------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xsl

XSL	enabled
libxslt Version	1.1.17
libxslt compiled against libxml Version	2.6.26
EXSLT	enabled
libexslt Version	1.1.17

zip

Zip	enabled
Extension Version	\$Id: php_zip.c,v 1.1.2.15 2006/09/24 22:27:57 pajoye Exp \$
Zip version	2.0.0
Libzip version	0.7.1

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
dbase
sysvsem
sysvshm

Environment

Variable	Value
----------	-------

CONSOLE	/dev/console
ROOTFS_FSTYPE	reiserfs
SHELL	/bin/sh
TERM	linux
ROOTFS_FSCK	0
get_module_list_done	true
LC_ALL	POSIX
INIT_VERSION	sysvinit-2.86
REDIRECT	/dev/tty1
COLUMNS	124
get_includes_done	true
PATH	/bin:/sbin:/usr/bin:/usr/sbin
vga	0x317
RUNLEVEL	5
PWD	/
SPLASHCFG	/etc/bootsplash/themes/SuSE/config/bootsplash-1024x768.cfg
PREVLEVEL	N
LINES	44
HOME	/
SHLVL	2
splash	silent
SPLASH	yes
ROOTFS_BLKDEV	/dev/hdc2
_	/sbin/startproc
DAEMON	/usr/sbin/httpd2-prefork

PHP Variables

Variable	Value
_SERVER["HTTP_HOST"]	127.0.0.1
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; U; Linux i686; fr; rv:1.8.1) Gecko/20061023 SUSE/2.0-30 Firefox/2.0
_SERVER["HTTP_ACCEPT"]	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
_SERVER["HTTP_ACCEPT_LANGUAGE"]	fr,fr-fr;q=0.8,en-us;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_SERVER["HTTP_KEEP_ALIVE"]	300
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/bin:/sbin:/usr/bin:/usr/sbin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.3 (Linux/SUSE) Server at 127.0.0.1 Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.3 (Linux/SUSE)
_SERVER["SERVER_NAME"]	127.0.0.1
_SERVER["SERVER_ADDR"]	127.0.0.1
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	127.0.0.1
_SERVER["DOCUMENT_ROOT"]	/srv/www/htdocs
_SERVER["SERVER_ADMIN"]	root@linux-nohm
_SERVER["SCRIPT_FILENAME"]	/srv/www/htdocs/couik/info.php
_SERVER["REMOTE_PORT"]	2518
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1

_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/couik/info.php
_SERVER["SCRIPT_NAME"]	/couik/info.php
_SERVER["PHP_SELF"]	/couik/info.php
_SERVER["REQUEST_TIME"]	1184103138

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.