

```
<!-- DOCTYPE HTML FUELIC "/><!DOCTYPE HTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd" -->  
<html class="x-ht" Retour automatique à la ligne (Alt + W) gen3" xmlns="http://www.w3.org/1999/xhtml">
```

```
<body class=" ext-ie ext-ler" id="ext-gent" bgcolor="#eaf3fd">
```

```
<form name="aspnetForm" id="aspnetForm" style="font-family: Arial; font-size: 12px;" action="Marche.aspx" method="post" _events="[object Object]">
```

```
<div>
```

```
<script type="text/javascript"/><![CDATA[ var theForm = document.forms['aspnetForm']; if (!theForm) { theForm = document. aspnetForm; } function _d  
<script src="/Content.0/WebResource.axd?d=JKhbmVh5ZUg0u08RO8BLfJKU18Ran0K1YU0XBCWf99Uhmxc813YVIGOK-rdhSortw6nmpIdzEGRB7swf05c-81.4r-6352951311324535  
<script src="/Content.0/ScriptResource.axd?d=qeZY901KI7dEx1Q0bj5V91NZ1G6akP21zoc1kePZU03KzrHm4t8z2EY7ecqNucqhdTRXSS5SVYoe1BwHqDmNpq2Kfy2uB_IDpde7u1  
<script type="text/javascript"/><![CDATA[ var _cultureInfo = { "name": "fr-FR", "numberFormat": { "CurrencyDecimalDigits": "2", "CurrencyDecimalSeparator": ",", "   
<script src="/Content.0/ScriptResource.axd?d=weFPRB8ar-zM9vdyh99cBqU-WOTG2k1cm27PNSv1R4Fz2_VS-gw1y4z5Hxzys3y9p9qgkhd0y9AMyV8ZURFASMS15VFM1h1R-rdJj6eJ  
<script src="/Content.0/ScriptResource.axd?d=KqddDCCm8B3nUXD8X-01LJ-Fl9YV_18R33CmblH3PUIHAIYKXAOAMF10FTux3K1v6MPJ1 6Xh6M171egKqg15SNPGEF00BTKM7F2B0F  
<script src="/Content.0/ScriptResource.axd?d=2RjRM975IgrDmVzSeKRYGz2n00CEUwV6JcmDjZ0q9UE65 egfUhc0F20YVZk2ZRV8C6oCFped61n2XFA4RN-S20YVAmM31UVc21BcJaz0  
<script src="/Content.0/Marche.aspx?_TSM_HiddenField=-ccl100_ScriptManager1_HiddenFields_TSM_CombinedScripte_43b83hAjakControlToolK1t82c4Yers1on83d3.5.50  
<script src="/Content.0/WebResource.axd?d=XgwcSMLCyme0XVC_KN1V1-92Nq0Ngc2AZV77kRVSr1e09J_44cricPMDuRarXvQ89e3z3FTUTW4M4PQc5jB7gehY1r-6352951311324535  
<script type="text/javascript"/><![CDATA[ function WebForm_OnSubmit() { if (typeof(ValidatorOnSubmit) == "function" && ValidatorOnSubmit() == false) re  
<script type="text/javascript"/><![CDATA[ Sys.WebForms.PageRequestManager._initialize('ccl100$ScriptManager1', document.getElementById('aspnetForm')); S  
<input name="ccl100$ScriptManager1" tabIndex="0" id="ccl100_ScriptManager1" type="hidden"/>  
<iframe tabIndex="32768" id="__historyFrame" src="/Content.0/ScriptResource.axd?d=9PIFKrL190kHAPv_E8iyf5WVeYIG1-NOODXkMhms7h3c3p2u1YO_XeVPnqMh0dJr5r  
Texte - Nouvel de texte vide
```

```
<table id="ccl100_Table1" style="width: 100%; height: 40px;" border="0">
```

```
<tr id="ccl100_ModalProgressBar" role="status" aria-hidden="true" style="background-color: #cccccc; border: 1px solid black; color: #000000; font-size: 8px; text-align: center; vertical-align: middle;">
```

```
<td id="ccl100_ContentPlaceholder1_Panel1" onkeypress="javascript: return WebForm1.FireDefaultButton(event, 'ccl100_ContentPlaceholder1_bv1smallise');">
```

```
<table id="ccl100_ContentPlaceholder1_Table2" style="width: 100%; font-weight: normal;" border="0">
```

```
<div>
```

```
<table id="ccl100_ContentPlaceholder1_gvMarche" style="border-bottom: black 1px solid; border-left: black 1px solid; border-right: black 1px solid; border-collapse: collapse; width: 100%; height: 100%; text-align: center; vertical-align: middle;">
```

```
<tr class="cashHeaderRow" valign="top" style="border-bottom: black 1px solid; border-left: black 1px solid; border-right: black 1px solid; background-color: #0088cc; color: #ffffff;">
```

```
<tr class="cashRow" style="border-bottom: black 1px solid; border-left: black 1px solid; border-right: black 1px solid; background-color: #e9edf4; white-space: nowrap; color: #000000;">
```

```
<td>
```

```
<td>
```

```
<td>
```

```
<td>
```

```
<td>
```

```
<td>
```

```
<td>
```

```
<td>
```

```
<td title="SNCF-TER">
```

```
<td title="Train TER à charge, VL>= 160km/h, hors TGV, Aquitaine">
```

```
<td style="font-style: italic; color: #675c53;">
```

```
<td/>
```

```
<td title="Train de voyageurs/composé en matériel du parc spécialisé/automoteur électrique" style="font-style: italic; color: #675c53;">
```

```
<td/>
```

```
<td/>
```

```
</td>
```

```
</div>
```

```
</tbody>
```

```
</table>
```

```
</div>
```


CHTI - Outils de développement

```
<!-- DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd" -->  
<html class="x-theme-blue ext-strict id="ext-gens" xmlns="http://www.w3.org/1999/xhtml">  
  <head>  
    <body class="ext-ie ext-ie7 id="ext-gend" bgcolor="#eaf3fd">  
      <form name="aspnetForm" id="aspnetForm" style="font-family: Arial; font-size: 12px; action="Marche.aspx" method="post">  
        <div>  
          <script type="text/javascript">/*! [CDATA[ var theForm = document.forms['aspnetForm']; if (!theForm) { theForm =  
            <script src="/WebResource.axd?d=TRVFRM095idMid_6c_Rq0CzrN99CfRgmaLcQ9WYmHzasBpctUeITVUzHRK39Ql0sKtRpIwIMSONL6r3  
            <script src="/ScriptResource.axd?d=kqYVani_3c0d1vYrswvYX1d-d4062ALYINI-CWUlmnrk6_9wcb0id4-4rFjRequidvITMYK880nyxc  
            <script type="text/javascript">/*! [CDATA[ var _cultureInfo = { 'name': 'fr-FR', 'numberFormat': '{0:CurrentyDecimalDigit  
            <script src="/ScriptResource.axd?d=Y48I_JaAVGU_Y9ATVYkYLeKPk8AgvFLM2BfCG85MYW093dJT21nMKJRNkBgYk1MCA_1v512JvZF28wop  
            <script src="/ScriptResource.axd?d=odKtXFyXkKkKycG6a40_RvF8lqGh30f52qWjS3n8ey0cANvP1Xjfy1X11CR7K0seea415y43Y331  
            <script src="/ScriptResource.axd?d=1MMkZk5Ys1Dmh0J6M1nDaaFRGvA7ZMEwezcK4b2KF50HEqEwFgRFTCLIn8Z2XRaCp8xMvXj1U9  
            <script src="/Marche.aspx?TSM_HiddenField=ext100_ScriptManager1_HiddenField_TSM_CombinedScripts_43833ba3aXcontrol  
            <script src="/WebResource.axd?d=6Bh9zFf1G0ZVdt20LHtYMoYvDbu3BjY3Q8Y983d41c11jG95FJU2CysR_ani5nfor_Q65tWz  
            <script type="text/javascript">/*! [CDATA[ Sys.WebForms.PageRequestManager._initialize({ 'ctl100$ScriptManager1', docume  
            <input name="ctl100$ScriptManager1" tabIndex="0" id="ctl100_ScriptManager1" type="hidden"/>  
            <iframe tabIndex="-32768" id="__historyFrame" src="/ScriptResource.axd?d=Qe1BoJx54gF9u18y2kPyKQvNBHfZf3Rrr1d0r20DRFY  
              Texte - Neud de texte vide  
            <span id="ctl100_Updt">  
            <div id="ctl100_ModalUpdateProgress1" role="status" aria-hidden="true" style="z-index: 100001; position: absolute; dis  
            <script type="text/javascript">Sys.Application.add_init(function() {</script>  
            <div id="ctl100_ContentPlaceHolder1_Panel1" onkeypress="javascript:return WebForm_FireDefaultButton(event); 'ctl100_Cont  
            <div id="ctl100_ContentPlaceHolder1_UpdatePanel3">  
            <table id="ctl100_ContentPlaceHolder1_Table2" style="width: 100%; font-weight: normal; border="0">  
              <tbody>  
                <tr>  
                  <td>  
                    <thead>  
                      <tr class="cssHeaderRow" valign="top" style="border-bottom: black 1px solid; border-left: black 1px solid;  
                        <th scope="col">  
                        <th scope="col">  
                        <th scope="col">  
                        <th scope="col">  
                        <th scope="col">  
                        <th scope="col">  
                        <th scope="col">  
                        <th scope="col">  
                        <th scope="col">  
                      </tr>  
                    </thead>  
                    <tbody>  
                      <tr>  
                        <td colspan="5" style="border-bottom: black 1px solid; border-left: black 1px solid; border-right: black 1px solid;">  
                          <table border="1" style="width: 100%; border-collapse: collapse; border: none; border-top: 1px solid black; border-bottom: 1px solid black; border-left: 1px solid black; border-right: 1px solid black;">  
                            <thead>  
                              <tr>  
                                <th style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></th>  
                                <th style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></th>  
                                <th style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></th>  
                                <th style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></th>  
                                <th style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></th>  
                                <th style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></th>  
                                <th style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></th>  
                              </tr>  
                            </thead>  
                            <tbody>  
                              <tr>  
                                <td style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></td>  
                                <td style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></td>  
                                <td style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></td>  
                                <td style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></td>  
                                <td style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></td>  
                                <td style="border: none; border-top: none; border-bottom: none; border-left: none; border-right: none;"></td>  
                              </tr>  
                            </tbody>  
                          </table>  
                        </td>  
                      </tr>  
                    </tbody>  
                  </td>  
                </tr>  
              </tbody>  
            </table>  
          </div>  
        </div>  
      </form>  
    </head>  
  </body>  
</html>
```

Style Suivre les styles Disposition Attributs

<input checked="" type="checkbox"/> Inherited	-	tr
<input checked="" type="checkbox"/> .cssRow		CssCHTL1.css
<input checked="" type="checkbox"/> cursor	:	auto
<input checked="" type="checkbox"/> .cssRowMarche		CssCHTL1.css
<input checked="" type="checkbox"/> white-space	:	nowrap
<input checked="" type="checkbox"/> color	:	black

```
<tbody>  
  <tr>  
    <th scope="col">  
      <th scope="col">  
    </th>  
  </tr>  
  <tr>  
    <th scope="col">  
      <th scope="col">  
    </th>  
  </tr>  
  <tr>  
    <th scope="col">  
      <th scope="col">  
    </th>  
  </tr>  
  <tr>  
    <th scope="col">  
      <th scope="col">  
    </th>  
  </tr>  
</tbody>  
<tbody class="cssRow cssRowMarche">  
  <tr>  
    <td>  
      Texte - 26:40  
    </td>  
  </tr>  
  <tr>  
    <td>  
      Texte - Noeud de texte vide  
    </td>  
  </tr>  
  <tr>  
    <td>  
      Texte - Noeud de texte vide  
    </td>  
  </tr>  
  <tr>  
    <td>  
      Texte - Noeud de texte vide  
    </td>  
  </tr>  
  <tr>  
    <td>  
      Texte - Arcachon  
    </td>  
  </tr>  
  <tr>  
    <td>  
      Texte - 05:45  
    </td>  
  </tr>  
  <tr>  
    <td>  
      Texte - Bordeaux-St-Jean  
    </td>  
  </tr>  
  <tr>  
    <td>  
      Texte - 06:40  
    </td>  
  </tr>  
  <tr>  
    <td title="SNCF-TER">  
      <td title="Train TER à charge, VL>= 160km/h, hors TGV, Aquitaine">  
      <td style="font-style: italic; color: #675c53;">  
      </td>  
      <td style="font-style: italic; color: #675c53;">  
      </td>  
      <td style="font-style: italic; color: #675c53;">  
      </td>  
    </td>  
  </tr>  
</tbody>  
<tbody>  
  <tr>  
    <td colspan="2">  
      <td colspan="2" style="font-style: italic; color: #675c53;">  
      </td>  
    </td>  
  </tr>  
</tbody>  
</table>  
</div>  
<div id="winAgart_Container" style="display: none;">  
<script type="text/javascript"><![CDATA[ var Page_Validateors = new Array(document.getElementById("c100_ContentPia  
<script type="text/javascript"><![CDATA[ var c100_ContentPlaceHolder1_CustomValidateors = document.all ? document.a
```

Style	Suivre les styles	Disposition	Attributs
ext.ax	<input checked="" type="checkbox"/>	TH	padding-bottom : 0px margin : 0px padding-left : 0px padding-right : 0px padding-top : 0px
ext.ax	<input checked="" type="checkbox"/>	TH	font-style : normal font-weight : normal
ext.ax	<input checked="" type="checkbox"/>	TH	text-align : left
CssCITI.cs	<input checked="" type="checkbox"/>	cssHeaderRow TH	text-align : center !important line-height : 2em !important font-weight : bold !important