



| PHP Version 5.2.0 | |  |
|--|---|---|
| System | Windows NT MOUSSA 5.1 build 2600 | |
| Build Date | Nov 2 2006 11:50:55 | |
| Configure Command | cscript /nologo configure.js "--enable-snapshot-build" "--with-gd=shared" | |
| Server API | Apache 2.0 Handler | |
| Virtual Directory Support | enabled | |
| Configuration File (php.ini) Path | C:\Program Files\EasyPHP 2.0b1\apache\php.ini | |
| PHP API | 20041225 | |
| PHP Extension | 20060613 | |
| Zend Extension | 220060519 | |
| Debug Build | no | |
| Thread Safety | enabled | |
| Zend Memory Manager | enabled | |
| IPv6 Support | enabled | |
| Registered PHP Streams | php, file, data, http, ftp, compress.zlib | |
| Registered Stream Socket Transports | tcp, udp | |
| Registered Stream Filters | convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, zlib.* | |
| This program makes use of the Zend Scripting Language Engine: Zend Engine v2.2.0, Copyright (c) 1998-2006 Zend Technologies | |  |

PHP Credits

Configuration

PHP Core

| Directive | Local Value | Master Value |
|--------------------------------|--|--|
| allow_call_time_pass_reference | Off | Off |
| allow_url_fopen | On | On |
| allow_url_include | Off | Off |
| always_populate_raw_post_data | Off | Off |
| arg_separator.input | & | & |
| arg_separator.output | & | & |
| asp_tags | Off | Off |
| auto_append_file | no value | no value |
| auto_globals_jit | On | On |
| auto_prepend_file | no value | no value |
| browscap | no value | no value |
| default_charset | no value | no value |
| default_mimetype | text/html | text/html |
| define_syslog_variables | Off | Off |
| disable_classes | no value | no value |
| disable_functions | no value | no value |
| display_errors | On | On |
| display_startup_errors | Off | Off |
| doc_root | no value | no value |
| docref_ext | no value | no value |
| docref_root | no value | no value |
| enable_dl | On | On |
| error_append_string | no value | no value |
| error_log | no value | no value |
| error_prepend_string | no value | no value |
| error_reporting | 6143 | 6143 |
| expose_php | On | On |
| extension_dir | C:\PROGRA~1\EASYPH~1.0B1\\php5\ext\ | C:\PROGRA~1\EASYPH~1.0B1\\php5\ext\ |
| file_uploads | On | On |
| highlight.bg | #FFFFFF | #FFFFFF |
| highlight.comment | #FF8000 | #FF8000 |
| highlight.default | #0000BB | #0000BB |
| highlight.html | #000000 | #000000 |
| highlight.keyword | #007700 | #007700 |
| highlight.string | #DD0000 | #DD0000 |
| html_errors | On | On |
| ignore_repeated_errors | Off | Off |
| ignore_repeated_source | Off | Off |
| ignore_user_abort | Off | Off |
| implicit_flush | Off | Off |
| include_path | .;C:\PROGRA~1\EASYPH~1.0B1\\php5\pear\ | .;C:\PROGRA~1\EASYPH~1.0B1\\php5\pear\ |

| | | |
|-----------------------------|---|---|
| log_errors | On | On |
| log_errors_max_len | 1024 | 1024 |
| magic_quotes_gpc | Off | Off |
| magic_quotes_runtime | Off | Off |
| magic_quotes_sybase | Off | Off |
| mail.force_extra_parameters | no value | no value |
| max_execution_time | 30 | 30 |
| max_input_time | 60 | 60 |
| open_basedir | no value | no value |
| output_buffering | 4096 | 4096 |
| output_handler | no value | no value |
| post_max_size | 1600M | 1600M |
| precision | 14 | 14 |
| realpath_cache_size | 16K | 16K |
| realpath_cache_ttl | 120 | 120 |
| register_argc_argv | Off | Off |
| register_globals | Off | Off |
| register_long_arrays | Off | Off |
| report_memleaks | On | On |
| report_zend_debug | On | On |
| safe_mode | Off | Off |
| safe_mode_exec_dir | no value | no value |
| safe_mode_gid | Off | Off |
| safe_mode_include_dir | no value | no value |
| sendmail_from | no value | no value |
| sendmail_path | no value | no value |
| serialize_precision | 100 | 100 |
| short_open_tag | Off | Off |
| SMTP | localhost | localhost |
| smtp_port | 25 | 25 |
| sql.safe_mode | Off | Off |
| track_errors | Off | Off |
| unserialize_callback_func | no value | no value |
| upload_max_filesize | 20000000000000000000000000000000 | 20000000000000000000000000000000 |
| upload_tmp_dir | C:\PROGRA~1\EASYPH~1.0B1\ \tmp\ | C:\PROGRA~1\EASYPH~1.0B1\ \tmp\ |
| user_dir | no value | no value |
| variables_order | GPCS | GPCS |
| xmlrpc_error_number | 0 | 0 |
| xmlrpc_errors | Off | Off |
| y2k_compliance | On | On |
| zend.ze1_compatibility_mode | Off | Off |

apache2handler

| | |
|----------------------|---|
| Apache Version | Apache/2.2.3 (Win32) PHP/5.2.0 |
| Apache API Version | 20051115 |
| Server Administrator | admin@localhost |
| Hostname:Port | localhost:0 |
| Max Requests | Per Child: 0 - Keep Alive: on - Max Per Connection: 100 |
| Timeouts | Connection: 300 - Keep-Alive: 5 |
| Virtual Server | No |
| Server Root | C:/Program Files/EasyPHP 2.0b1/apache |
| Loaded Modules | core mod_win32 mpm_winnt http_core mod_so mod_actions mod_alias mod_asis mod_auth_basic mod_authn_default mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dir mod_env mod_imagemap mod_include mod_isapi mod_log_config mod_mime mod_negotiation mod_setenvif mod_userdir mod_php5 |

| Directive | Local Value | Master Value |
|---------------|-------------|--------------|
| engine | 1 | 1 |
| last_modified | 0 | 0 |
| xbithack | 0 | 0 |

Apache Environment

| Variable | |
|----------------------|---|
| TMP | C:/PROGRA~1/EASYPH~1.0B1/tmp |
| HTTP_HOST | 127.0.0.1 |
| HTTP_USER_AGENT | Mozilla/5.0 (Windows; U; Windows NT 5.1; fr; rv:1.9.0.5) Gecko/2008120122 Firefox/3.0.5 |
| HTTP_ACCEPT | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 |
| HTTP_ACCEPT_LANGUAGE | fr |
| HTTP_ACCEPT_ENCODING | gzip,deflate |
| HTTP_ACCEPT_CHARSET | ISO-8859-1,utf-8;q=0.7,*q=0.7 |
| HTTP_KEEP_ALIVE | 300 |
| HTTP_CONNECTION | keep-alive |
| HTTP_REFERER | http://127.0.0.1/ |
| HTTP_COOKIE | fontSize=100; ja_purity_tpl=ja_purity; 622f6df997b2a89a548bccaaafd8979d=a1fc4047fecb66a48f790346b2922a09; coppermine_data=YT01OntzOjI6IklEjtzOjMyOjI3TA5MzhnM2FjMjJkZjVjZjY1NjFkNWwMDQyNiI7czoyOjIhbSI7aToxO3M6NDoibGFuZy17czo2OjIjcmVudVY2giO3M6MzoibGl2IjthOjU6 |

| | |
|--------------------------|---|
| PATH | C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\PROGRA~1\EASYPH~1.0B1\Apache\bin;C:\PROGRA~1\EASYPH~1.0B1\PHP5 |
| SystemRoot | C:\WINDOWS |
| COMSPEC | C:\WINDOWS\system32\cmd.exe |
| PATHEXT | .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH |
| WINDIR | C:\WINDOWS |
| SERVER_SIGNATURE | <i>no value</i> |
| SERVER_SOFTWARE | Apache/2.2.3 (Win32) PHP/5.2.0 |
| SERVER_NAME | 127.0.0.1 |
| SERVER_ADDR | 127.0.0.1 |
| SERVER_PORT | 80 |
| REMOTE_ADDR | 127.0.0.1 |
| DOCUMENT_ROOT | C:/Program Files/EasyPHP 2.0b1/www |
| SERVER_ADMIN | admin@localhost |
| SCRIPT_FILENAME | C:/Program Files/EasyPHP 2.0b1/www/php/index.php |
| REMOTE_PORT | 2437 |
| GATEWAY_INTERFACE | CGI/1.1 |
| SERVER_PROTOCOL | HTTP/1.1 |
| REQUEST_METHOD | GET |
| QUERY_STRING | <i>no value</i> |
| REQUEST_URI | /php/ |
| SCRIPT_NAME | /php/index.php |

HTTP Headers Information

| | |
|--------------------------|--|
| HTTP Request | GET /php/ HTTP/1.1 |
| Host | 127.0.0.1 |
| User-Agent | Mozilla/5.0 (Windows; U; Windows NT 5.1; fr; rv:1.9.0.5) Gecko/2008120122 Firefox/3.0.5 |
| Accept | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 |
| Accept-Language | fr |
| Accept-Encoding | gzip,deflate |
| Accept-Charset | ISO-8859-1,utf-8;q=0.7,*;q=0.7 |
| Keep-Alive | 300 |
| Connection | keep-alive |
| Referer | http://127.0.0.1/ |
| Cookie | fontSize=100; ja_purity_tpl=ja_purity; 622f6df997b2a89a548bccaafd8979d=a1fc4047fecb66a48f790346b2922a09; coppermine_data=YT01OntzOjI6IklEJtzojMyOjI3ZTA5MzhmM2FjMjNTkzZjVhZkZlZWY1NjFkNWwMDQyNiI7czo0OjUhbSI7aT0xO3M6NDobGFuZyI7czo2OjUjcmVud2giO3M6MzoibGJ2JjthOjU6e2k6MDtzOjE6 |
| X-Powered-By | PHP/5.2.0 |
| Keep-Alive | timeout=5, max=99 |
| Connection | Keep-Alive |
| Transfer-Encoding | chunked |
| Content-Type | text/html |

bcmath

| | |
|-----------------------|---------|
| BCMath support | enabled |
|-----------------------|---------|

calendar

| | |
|-------------------------|---------|
| Calendar support | enabled |
|-------------------------|---------|

com_dotnet

| | |
|---------------------|----------|
| COM support | enabled |
| DCOM support | disabled |
| .Net support | enabled |

| Directive | Local Value | Master Value |
|---------------------------------------|-----------------|-----------------|
| com.allow_dcom | 0 | 0 |
| com.autoregister_casesensitive | 1 | 1 |
| com.autoregister_typelib | 0 | 0 |
| com.autoregister_verbose | 0 | 0 |
| com.code_page | <i>no value</i> | <i>no value</i> |
| com.typelib_file | <i>no value</i> | <i>no value</i> |

ctype

| | |
|------------------------|---------|
| ctype functions | enabled |
|------------------------|---------|

date

| | |
|----------------------------------|---------|
| date/time support | enabled |
| Timezone Database Version | 2006.14 |

| | |
|-------------------|---------------|
| Timezone Database | internal |
| Default timezone | Europe/London |

| Directive | Local Value | Master Value |
|------------------------|-----------------|-----------------|
| date.default_latitude | 31.7667 | 31.7667 |
| date.default_longitude | 35.2333 | 35.2333 |
| date.sunrise_zenith | 90.583333 | 90.583333 |
| date.sunset_zenith | 90.583333 | 90.583333 |
| date.timezone | <i>no value</i> | <i>no value</i> |

dom

| | |
|---------------------|----------|
| DOM/XML | enabled |
| DOM/XML API Version | 20031129 |
| libxml Version | 2.6.26 |
| HTML Support | enabled |
| XPath Support | enabled |
| XPointer Support | enabled |
| Schema Support | enabled |
| RelaxNG Support | enabled |

filter

| | |
|--------------------------------|--------------------------|
| Input Validation and Filtering | enabled |
| Revision | \$Revision: 1.52.2.25 \$ |

| Directive | Local Value | Master Value |
|----------------------|-----------------|-----------------|
| filter.default | unsafe_raw | unsafe_raw |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

ftp

| | |
|-------------|---------|
| FTP support | enabled |
|-------------|---------|

gd

| | |
|--------------------|-----------------------------|
| GD Support | enabled |
| GD Version | bundled (2.0.28 compatible) |
| FreeType Support | enabled |
| FreeType Linkage | with freetype |
| FreeType Version | 2.1.9 |
| T1Lib Support | enabled |
| GIF Read Support | enabled |
| GIF Create Support | enabled |
| JPG Support | enabled |
| PNG Support | enabled |
| WBMP Support | enabled |
| XBM Support | enabled |

hash

| | |
|-----------------|--|
| hash support | enabled |
| Hashing Engines | md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

iconv

| | |
|-----------------------|------------|
| iconv support | enabled |
| iconv implementation | "libiconv" |
| iconv library version | 1.9 |

| Directive | Local Value | Master Value |
|-------------------------|-------------|--------------|
| iconv.input_encoding | ISO-8859-1 | ISO-8859-1 |
| iconv.internal_encoding | ISO-8859-1 | ISO-8859-1 |
| iconv.output_encoding | ISO-8859-1 | ISO-8859-1 |

json

| | |
|--------------|---------|
| json support | enabled |
| json version | 1.2.1 |

libxml

| | |
|----------------|---------|
| libXML support | active |
| libXML Version | 2.6.26 |
| libXML streams | enabled |

mbstring

| | |
|---|---------|
| Multibyte Support | enabled |
| Multibyte string engine | libmbfl |
| Multibyte (japanese) regex support | enabled |
| Multibyte regex (oniguruma) version | 4.4.4 |
| Multibyte regex (oniguruma) backtrack check | On |

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

| Directive | Local Value | Master Value |
|-------------------------------|-----------------|-----------------|
| mbstring.detect_order | <i>no value</i> | <i>no value</i> |
| mbstring.encoding_translation | Off | Off |
| mbstring.func_overload | 0 | 0 |
| mbstring.http_input | pass | pass |
| mbstring.http_output | pass | pass |
| mbstring.internal_encoding | <i>no value</i> | <i>no value</i> |
| mbstring.language | neutral | neutral |
| mbstring.strict_detection | Off | Off |
| mbstring.substitute_character | <i>no value</i> | <i>no value</i> |

mysql

| MySQL Support | enabled |
|-------------------------|---------|
| Active Persistent Links | 0 |
| Active Links | 0 |
| Client API version | 5.0.22 |

| Directive | Local Value | Master Value |
|------------------------|-----------------|-----------------|
| mysql.allow_persistent | On | On |
| mysql.connect_timeout | 60 | 60 |
| mysql.default_host | <i>no value</i> | <i>no value</i> |
| mysql.default_password | <i>no value</i> | <i>no value</i> |
| mysql.default_port | <i>no value</i> | <i>no value</i> |
| mysql.default_socket | <i>no value</i> | <i>no value</i> |
| mysql.default_user | <i>no value</i> | <i>no value</i> |
| mysql.max_links | Unlimited | Unlimited |
| mysql.max_persistent | Unlimited | Unlimited |
| mysql.trace_mode | Off | Off |

mysqli

| Mysqli Support | enabled |
|----------------------------|------------------|
| Client API library version | 5.0.22 |
| Client API header version | 5.0.22 |
| MYSQLI_SOCKET | /tmp/mysqli.sock |

| Directive | Local Value | Master Value |
|-----------------------|-----------------|-----------------|
| mysqli.default_host | <i>no value</i> | <i>no value</i> |
| mysqli.default_port | 3306 | 3306 |
| mysqli.default_pw | <i>no value</i> | <i>no value</i> |
| mysqli.default_socket | <i>no value</i> | <i>no value</i> |
| mysqli.default_user | <i>no value</i> | <i>no value</i> |
| mysqli.max_links | Unlimited | Unlimited |
| mysqli.reconnect | Off | Off |

odbc

| ODBC Support | enabled |
|-------------------------|---------|
| Active Persistent Links | 0 |
| Active Links | 0 |
| ODBC library | Win32 |

| Directive | Local Value | Master Value |
|-----------------------|-------------------------|-------------------------|
| odbc.allow_persistent | On | On |
| odbc.check_persistent | On | On |
| odbc.default_db | <i>no value</i> | <i>no value</i> |
| odbc.default_pw | <i>no value</i> | <i>no value</i> |
| odbc.default_user | <i>no value</i> | <i>no value</i> |
| odbc.defaultbinmode | return as is | return as is |
| odbc.defaultlrl | return up to 4096 bytes | return up to 4096 bytes |
| odbc.max_links | Unlimited | Unlimited |
| odbc.max_persistent | Unlimited | Unlimited |

pcre

| | |
|---|-----------------|
| PCRE (Perl Compatible Regular Expressions) Support | enabled |
| PCRE Library Version | 6.7 04-Jul-2006 |

PDO

| | |
|--------------------|---------|
| PDO support | enabled |
| PDO drivers | sqlite |

pdo_sqlite

| | |
|----------------------------------|---|
| PDO Driver for SQLite 3.x | enabled |
| PECL Module version | 1.0.1 \$Id: pdo_sqlite.c,v 1.10.2.6 2006/01/01 12:50:12 sniper Exp \$ |
| SQLite Library | 3.3.7undefined |

Reflection

| | |
|-------------------|--|
| Reflection | enabled |
| Version | \$Id: php_reflection.c,v 1.164.2.33.2.31 2006/10/18 16:35:15 johannes Exp \$ |

session

| | |
|---------------------------------------|---------------------|
| Session Support | enabled |
| Registered save handlers | files user |
| Registered serializer handlers | php php_binary wddx |

| Directive | Local Value | Master Value |
|---------------------------------|--------------------------------|--------------------------------|
| session.auto_start | Off | Off |
| session.bug_compat_42 | Off | Off |
| session.bug_compat_warn | On | On |
| session.cache_expire | 180 | 180 |
| session.cache_limiter | nocache | nocache |
| session.cookie_domain | no value | no value |
| session.cookie_httponly | Off | Off |
| session.cookie_lifetime | 0 | 0 |
| session.cookie_path | / | / |
| session.cookie_secure | Off | Off |
| session.entropy_file | no value | no value |
| session.entropy_length | 0 | 0 |
| session.gc_divisor | 1000 | 1000 |
| session.gc_maxlifetime | 1440 | 1440 |
| session.gc_probability | 1 | 1 |
| session.hash_bits_per_character | 5 | 5 |
| session.hash_function | 0 | 0 |
| session.name | PHPSESSID | PHPSESSID |
| session.referer_check | no value | no value |
| session.save_handler | files | files |
| session.save_path | C:\PROGRA~1\EASYPH~1.0B1\\tmp\ | C:\PROGRA~1\EASYPH~1.0B1\\tmp\ |
| session.serialize_handler | php | php |
| session.use_cookies | On | On |
| session.use_only_cookies | Off | Off |
| session.use_trans_sid | 0 | 0 |

SimpleXML

| | |
|--------------------------|--------------------------------|
| Simplexml support | enabled |
| Revision | \$Revision: 1.151.2.22.2.15 \$ |
| Schema support | enabled |

SPL

| | |
|--------------------|--|
| SPL support | enabled |
| Interfaces | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject |
| Classes | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLElement, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException |

standard

| | |
|--|-------------------------|
| Regex Library | Bundled library enabled |
| Dynamic Library Support | enabled |
| Internal Sendmail Support for Windows | enabled |

| Directive | Local Value | Master Value |
|-------------------------------------|---|---|
| assert.active | 1 | 1 |
| assert.bail | 0 | 0 |
| assert.callback | <i>no value</i> | <i>no value</i> |
| assert.quiet_eval | 0 | 0 |
| assert.warning | 1 | 1 |
| auto_detect_line_endings | 0 | 0 |
| default_socket_timeout | 60 | 60 |
| safe_mode_allowed_env_vars | PHP_ | PHP_ |
| safe_mode_protected_env_vars | LD_LIBRARY_PATH | LD_LIBRARY_PATH |
| url_rewriter.tags | a=href,area=href,frame=src,input=src,form=fakeentry | a=href,area=href,frame=src,input=src,form=fakeentry |
| user_agent | <i>no value</i> | <i>no value</i> |

tokenizer

| | |
|--------------------------|---------|
| Tokenizer Support | enabled |
|--------------------------|---------|

wddx

| WDDX Support | enabled |
|--------------------------------|---------|
| WDDX Session Serializer | enabled |

xml

| | |
|------------------------------|--------|
| XML Support | active |
| XML Namespace Support | active |
| libxml2 Version | 2.6.26 |

xmlreader

| | |
|------------------|---------|
| XMLReader | enabled |
|------------------|---------|

xmlwriter

| | |
|------------------|---------|
| XMLWriter | enabled |
|------------------|---------|

zlib

| | |
|-------------------------------|----------------------------|
| ZLib Support | enabled |
| Stream Wrapper support | compress.zlib:// |
| Stream Filter support | zlib.inflate, zlib.deflate |
| Compiled Version | 1.2.3 |
| Linked Version | 1.2.3 |

| Directive | Local Value | Master Value |
|--------------------------------------|-----------------|-----------------|
| zlib.output_compression | Off | Off |
| zlib.output_compression_level | -1 | -1 |
| zlib.output_handler | <i>no value</i> | <i>no value</i> |

Additional Modules

| Module Name |
|-------------|
|-------------|

Environment

| Variable | Value |
|-----------------------------|---|
| <i>no value</i> | ::=::\ |
| ALLUSERSPROFILE | C:\Documents and Settings\All Users |
| APPDATA | C:\Documents and Settings\Administrateur\Application Data |
| CLIENTNAME | Console |
| CommonProgramFiles | C:\Program Files\Fichiers communs |
| COMPUTERNAME | MOUSSA |
| ComSpec | C:\WINDOWS\system32\cmd.exe |
| FP_NO_HOST_CHECK | NO |
| HOMEDRIVE | C: |
| HOMEPATH | \Documents and Settings\Administrateur |
| LOGONSERVER | \\MOUSSA |
| NUMBER_OF_PROCESSORS | 1 |
| OS | Windows_NT |
| Path | C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\PROGRA~1\EASYPH~1.0B1\Apache\bin;C:\PROGRA~1\EASYPH~1.0B1\PHP5 |

| | |
|-------------------------------|--|
| PATHEXT | .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH |
| PROCESSOR_ARCHITECTURE | x86 |
| PROCESSOR_IDENTIFIER | x86 Family 15 Model 76 Stepping 2, AuthenticAMD |
| PROCESSOR_LEVEL | 15 |
| PROCESSOR_REVISION | 4c02 |
| ProgramFiles | C:\Program Files |
| SESSIONNAME | Console |
| SystemDrive | C: |
| SystemRoot | C:\WINDOWS |
| TEMP | C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp |
| TMP | C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp |
| USERDOMAIN | MOUSSA |
| USERNAME | Administrateur |
| USERPROFILE | C:\Documents and Settings\Administrateur |
| windir | C:\WINDOWS |
| AP_PARENT_PID | 3692 |

PHP Variables

| Variable | |
|--|---|
| \$_REQUEST["fontSize"] | 100 |
| \$_REQUEST["ja_purity_tpl"] | ja_purity |
| \$_REQUEST["622f6df997b2a89a548bccaafd8979d"] | a1fc4047fecb66a48f790346b2922a09 |
| \$_REQUEST["coppermine_data"] | YTo1OntzOjI6IkEljzOjMyOiI3ZTA5MzhmM2FMjijNTkzjVkJkZWY1NjFkNWwMDQyNiI7czoyOjIhbSI7aToxO3M6NDoibGFuZyI7czo2OjIjcmVudY2giO3M6MzoibGI. |
| \$_COOKIE["fontSize"] | 100 |
| \$_COOKIE["ja_purity_tpl"] | ja_purity |
| \$_COOKIE["622f6df997b2a89a548bccaafd8979d"] | a1fc4047fecb66a48f790346b2922a09 |
| \$_COOKIE["coppermine_data"] | YTo1OntzOjI6IkEljzOjMyOiI3ZTA5MzhmM2FMjijNTkzjVkJkZWY1NjFkNWwMDQyNiI7czoyOjIhbSI7aToxO3M6NDoibGFuZyI7czo2OjIjcmVudY2giO3M6MzoibGI. |
| \$_SERVER["TMP"] | C:/PROGRA~1/EASYPH~1.0B1/tmp |
| \$_SERVER["HTTP_HOST"] | 127.0.0.1 |
| \$_SERVER["HTTP_USER_AGENT"] | Mozilla/5.0 (Windows; U; Windows NT 5.1; fr; rv:1.9.0.5) Gecko/2008120122 Firefox/3.0.5 |
| \$_SERVER["HTTP_ACCEPT"] | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 |
| \$_SERVER["HTTP_ACCEPT_LANGUAGE"] | fr |
| \$_SERVER["HTTP_ACCEPT_ENCODING"] | gzip,deflate |
| \$_SERVER["HTTP_ACCEPT_CHARSET"] | ISO-8859-1,utf-8;q=0.7,*;q=0.7 |
| \$_SERVER["HTTP_KEEP_ALIVE"] | 300 |
| \$_SERVER["HTTP_CONNECTION"] | keep-alive |
| \$_SERVER["HTTP_REFERER"] | http://127.0.0.1/ |
| \$_SERVER["HTTP_COOKIE"] | fontSize=100; ja_purity_tpl=ja_purity; 622f6df997b2a89a548bccaafd8979d=a1fc4047fecb66a48f790346b2922a09; coppermine_data=YTo1OntzOjI6IkEljzOjMyOiI3ZTA5MzhmM2FMjijNTkzjVkJkZWY1NjFkNWwMDQyNiI7czoyOjIhbSI7aToxO3M6NDoibGFuZyI7czo2OjIjcmVudY2giO3M6MzoibGI. |
| \$_SERVER["PATH"] | C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\PROGRA~1\EASYPH~1.0B1\Apache\bin;C:\PROGRA~1\EASYPH~1.0B1\PHP5 |
| \$_SERVER["SystemRoot"] | C:\WINDOWS |
| \$_SERVER["COMSPEC"] | C:\WINDOWS\system32\cmd.exe |
| \$_SERVER["PATHEXT"] | .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH |
| \$_SERVER["WINDIR"] | C:\WINDOWS |
| \$_SERVER["SERVER_SIGNATURE"] | <i>no value</i> |
| \$_SERVER["SERVER_SOFTWARE"] | Apache/2.2.3 (Win32) PHP/5.2.0 |
| \$_SERVER["SERVER_NAME"] | 127.0.0.1 |
| \$_SERVER["SERVER_ADDR"] | 127.0.0.1 |
| \$_SERVER["SERVER_PORT"] | 80 |
| \$_SERVER["REMOTE_ADDR"] | 127.0.0.1 |
| \$_SERVER["DOCUMENT_ROOT"] | C:/Program Files/EasyPHP 2.0b1/www |
| \$_SERVER["SERVER_ADMIN"] | admin@localhost |
| \$_SERVER["SCRIPT_FILENAME"] | C:/Program Files/EasyPHP 2.0b1/www/php/index.php |
| \$_SERVER["REMOTE_PORT"] | 2437 |
| \$_SERVER["GATEWAY_INTERFACE"] | CGI/1.1 |
| \$_SERVER["SERVER_PROTOCOL"] | HTTP/1.1 |
| \$_SERVER["REQUEST_METHOD"] | GET |
| \$_SERVER["QUERY_STRING"] | <i>no value</i> |
| \$_SERVER["REQUEST_URI"] | /php/ |
| \$_SERVER["SCRIPT_NAME"] | /php/index.php |
| \$_SERVER["PHP_SELF"] | /php/index.php |
| \$_SERVER["REQUEST_TIME"] | 1230544768 |

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.

ERROR: syntaxerror
OFFENDING COMMAND: --nostringval--

STACK:

/Title
()
/Subject
(D:20081229095946+00'00')
/ModDate
()
/Keywords
(PDFCreator Version 0.9.5)
/Creator
(D:20081229095946+00'00')
/CreationDate
(Administrateur)
/Author
-mark-