

python.py

```
001 | def conversion_deci_binaire(n):
002 |     if n>1:
003 |         conversion_deci_binaire(n // 2)
004 |     print(n % 2, end='')
005 |
006 |
007 | nombre=int(input("Nombre à convertir"))
008 | base=int(input("Base de ce nombre"))
009 | convert=int(input("Dans quelle base veux tu la convertir"))
010 | if base==10:
011 |     if convert==2:
012 |         conversion_deci_binaire(nombre)
013 |     elif convert==16:
014 |         intact = nombre
015 |         hexadecimal = ''
016 |         dictionary = {1:'1',2:'2',3:'3',4:'4',5:'5',6:'6',7:'7',8:'8',9:'9',10:'A',11:'B',
12:'C',13:'D',14:'E',15:'F'}
017 |
018 |         while(nombre!=0):
019 |             c = nombre%16
020 |             hexadecimal = dictionary[c] + hexadecimal
021 |             nombre = int(nombre/16)
022 |             print("(",hexadecimal,")16")
023 |     else:
024 |         print("erreur!")
025 |         #ici, je voudrait retourner a la ligne 9
026 |
027 |
028 |
029 |
030 |
```

031 |
032 |
033 |
034 |
035 |
036 |
037 |
038 |
039 |
040 |
041 |
042 |
043 |
044 |
045 |
046 |
047 |
048 |
049 |
050 |
051 |
052 |
053 |
054 |
055 |
056 |
057 |
058 |
059 |
060 |
061 |
062 |
063 |

064 |
065 |
066 |
067 |
068 |
069 |
070 |
071 |
072 |
073 |
074 |
075 |
076 |
077 |
078 |
079 |
080 |
081 |
082 |
083 |
084 |
085 |
086 |
087 |
088 |
089 |
090 |
091 |
092 |
093 |
094 |
095 |
096 |

```
097|  
098|  
099|  
100|  
101|  '''listehexa=["0","1","2","3","4","5","6","7","8","9","A","B","C","D","E","F"]  
102|  
liste_binaire=["0000","0001","0010","0011","0100","0101","0110","0111","1000","1001","1010","1011",  
"1100","1101","1110","1111"]  
103| listedeci=["0","1","2","3","4","5","6","7","8","9"]'''
```